Printing date 08.01.2020

Revision: 08.01.2020

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: FotoCast
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- \cdot Application of the substance / the mixture
- Material based on methacrylate resin for DLP-systems for the generative manufacturing of earmoulds
- \cdot 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Dreve Otoplastik GmbH Max-Planck-Straße 31 59423 Unna / Germany Tel.: ++49 2303 / 8807-0 Fax.: ++49 2303 / 8807-29
- Further information obtainable from: Department Research & Development Fax: ++49 2303 / 8807-562 Email: sicherheitsdatenblatt@dreve.de • **1.4 Emergency telephone number:**
- Tel.: ++ 49 211 / 797-3350 Plant Fire Department Henkel

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



H317 May cause an allergic skin reaction.

Aquatic Chronic 4 H413 May cause long lasting harmful effects to aquatic life.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



- · Signal word Warning
- Hazard-determining components of labelling: 1,4 Butanediol dimethacrylate
 Diskersul/2.4.6 trimethylesersul/shearshipsyide
- Diphenyl(2,4,6-trimethylbenzoyl)phosphinoxide Hazard statements
- H317 May cause an allergic skin reaction.
- H413 May cause long lasting harmful effects to aquatic life.
- Precautionary statements
 P261
 Avoid bre
 - Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)

GB



Printing date 08.01.2020

Version number 4

Revision: 08.01.2020

Trade name: FotoCast

| | (Contd. of page 1) |
|---------------------|---|
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact |
| | lenses, if present and easy to do. Continue rinsing. |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P501 | Dispose of contents/container in accordance with local/regional/national/ |
| | international regulations. |
| · 2.3 Other hazards | 6 |
| · Results of PBT a | nd vPvB assessment |

Results of PBT and vPvB assessme

• PBT: Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

| · Dangerous componer | its: | |
|---|---|---------|
| CAS: 41637-38-1 EC number: 609-946-4 | Ethoxylated (04) Bisphenol A Dimethacrylate Aquatic Chronic 4, H413 | 50-100% |
| CAS: 2082-81-7 EINECS: 212-218-1 | 1,4 Butanediol dimethacrylate Skin Sens. 1, H317 | 10-25% |
| CAS: 75980-60-8 EINECS: 278-355-8 | Diphenyl(2,4,6-trimethylbenzoyl)phosphinoxide Repr. 2, H361f; I Aquatic Chronic 2, H411; I Skin Sens. 1, H317 | ≤2.5% |

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Do not induce vomiting.

Call a doctor immediately.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

GB



Printing date 08.01.2020

Version number 4

Revision: 08.01.2020

(Contd. of page 2)

Trade name: FotoCast

Use fire extinguishing methods suitable to surrounding conditions.

- \cdot For safety reasons unsuitable extinguishing agents: Water with full jet
- \cdot 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.

· 5.3 Advice for firefighters

• Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with skin and eyes.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Avoid contact with skin and eyes. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Keep container tightly sealed.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

(Contd. on page 4)

GB



Revision: 08.01.2020

Printing date 08.01.2020

Version number 4

Trade name: FotoCast

· Respiratory protection:

(Contd. of page 3)

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

Protective gloves should be changed regularly, especially after intensive contact with the product. For every workplace a suitable type of protective gloves must be selected.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Butyl rubber (0,7 mm) EN 374

As there are many different conditions in every day work these indications can only serve as an aid to orientation for the selection of suitable gloves for the handling of chemical products. By no means they can replace qualifying examinations by the end-user.

These recommendations only apply to the product mentioned in the safety data sheet. When mixing with other substances or under conditions deviant from norm EN 374 a manufacturer of CE-approved gloves should be referred to.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

- · Eye protection: Goggles recommended during refilling
- Body protection: Protective work clothing

| SECTION 9: Physical and ch | emical properties | |
|--|-------------------------|-------------------|
| 9.1 Information on basic physical General Information | and chemical properties | |
| · Appearance: | | |
| Form: | Fluid | |
| Colour: | Reddish transparent | |
| · Odour: | Characteristic | |
| · Odour threshold: | Not determined. | |
| · pH-value: | Not determined. | |
| · Change in condition | | |
| Melting point/freezing point: | Undetermined. | |
| Initial boiling point and boiling r | ange: 211 °C | |
| Flash point: | 139 °C | |
| · Flammability (solid, gas): | Not applicable. | |
| · Decomposition temperature: | Not determined. | |
| | | (Contd. on page 5 |

GE



Printing date 08.01.2020

Version number 4

Revision: 08.01.2020

Trade name: FotoCast

| | (Contd. of page 4) |
|---|---|
| · Auto-ignition temperature: | Product is not selfigniting. |
| · Explosive properties: | Product does not present an explosion hazard. |
| · Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Oxidising properties | Not determined |
| | Not applicable. |
| · Vapour pressure at 110 °C: | 1.3 hPa |
| · Density at 20 °C: | 1.1 g/cm ³ |
| · Relative density | Not determined. |
| · Vapour density | Not determined. |
| Evaporation rate | Not determined. |
| · Solubility in / Miscibility with | |
| water: | Not miscible or difficult to mix. |
| · Partition coefficient: n-octanol/water: | Not determined. |
| · Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| · Solvent content: | |
| Solids content: | 0.0 % |
| 9.2 Other information | No further relevant information available. |

SECTION 10: Stability and reactivity

· 10.1 Reactivity No dangerous reactions if used according to specifications.

- · 10.2 Chemical stability Stable if used according to specifications.
- \cdot Thermal decomposition / conditions to be avoided:

Protect from heat and direct sunlight.

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- \cdot CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB



Printing date 08.01.2020

Version number 4

Revision: 08.01.2020

Trade name: FotoCast

(Contd. of page 5) • **STOT-single exposure** Based on available data, the classification criteria are not met.

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

| European | waste | cata | logue |
|------------------------------|-------|------|-------|
|------------------------------|-------|------|-------|

HP13 Sensitising

HP14 Ecotoxic

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

| · 14.1 UN-Number | | |
|--|------|--|
| · ADR, ADN, IMDG, IATA | Void | |
| · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA | Void | |
| · 14.3 Transport hazard class(es) | | |
| ADR, ADN, IMDG, IATA | | |
| · Class | Void | |
| · 14.4 Packing group | | |
| ADR, IMDG, IATA | Void | |
| 14.5 Environmental hazards: | | |
| Marine pollutant: | No | |



Printing date 08.01.2020

Version number 4

Revision: 08.01.2020

Trade name: FotoCast

| | | (Contd. of page 6) |
|---|-----------------|--------------------|
| · 14.6 Special precautions for user | Not applicable. | |
| • 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. | | |
| · UN "Model Regulation": | Void | |

SECTION 15: Regulatory information

- \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:

Other regulations, limitations and prohibitive regulations
 New Zealand Regulatory Information
 HSNO Approval Number: HSR002644 - Polymers (Subsidiary Hazard) Group Standard 2017
 Commission Standard 2017

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H317 May cause an allergic skin reaction.

- H361f Suspected of damaging fertility.
- H411 Toxic to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.
- · Department issuing SDS: Department Research & Development
- · Contact: Dr. Thomas Veit, Lothar Sutor
- Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Skin Sens. 1: Skin sensitisation Category 1
 Repr. 2: Reproductive toxicity Category 2
 Aquatic Chronic 2: Hazardous to the aquatic environment long-term aquatic hazard Category 4